

4 ALBERT EMBANKMENT  
LONDON SE1 7SR  
Telephone: +44 (0)20 7735 7611 Fax: +44 (0)20 7587 3210

SSE.1/Circ.3/Rev.2  
25 September 2019

## LIST OF RECOGNIZED TEST LABORATORIES

1 In facilitating the implementation of the International Code for Application of Fire Test Procedures, 2010 (2010 FTP Code), the Secretariat has updated, as necessary, the list of laboratories recognized by Administrations concerned which are able to conduct fire tests in accordance with the provisions of the 2010 FTP Code, and circulated it as an SSE.1 circular, bearing in mind that, in compliance with paragraph 8 of the 2010 FTP Code, only tests conducted in accordance with the 2010 FTP Code are allowed from 1 July 2013.

2 Following the decision of the Sub-Committee on Ship Systems and Equipment (SSE), a new module on recognized test laboratories has been established under Global Integrated Shipping Information System (GISIS) in order to facilitate the dissemination of the information among interested parties.

3 This circular contains the revised list of recognized laboratories based on the information received by the Secretariat up to September 2019. In line with the SSE Sub-Committee's decision, this circular will no longer be reissued, as the Member States are expected to update their relevant information in the new GISIS module.

4 Instructions on how to use the new module is contained on the homepage of the GISIS module on "Test Laboratories and Halon Facilities". Member States are requested to bring the information contained in this circular to the attention of shipyards, equipment manufacturers, shipowners, ship operators and other parties concerned.

5 This circular supersedes the *List of recognized test laboratories* (SSE.1/Circ.3/Rev.1).

\*\*\*



ANNEX

TEST LABORATORIES RECOGNIZED BY ADMINISTRATIONS

| Administration | Test laboratories recognized by the Administration                                                                                                                                                                | International Code for Application of Fire Test Procedures, 2010<br>(resolution MSC.307(88))                                                                                                         |        |        |        |        |        |        |        |         |         |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|---------|---------|
|                |                                                                                                                                                                                                                   | Part 1                                                                                                                                                                                               | Part 2 | Part 3 | Part 4 | Part 5 | Part 7 | Part 8 | Part 9 | Part 10 | Part 11 |
| Australia      | Exova Warrington Australia Pty Ltd,<br>Dandenong,<br>VIC, 3175<br>Australia                                                                                                                                       | +                                                                                                                                                                                                    |        | +      | +      |        |        |        |        | +       | +       |
|                |                                                                                                                                                                                                                   | <b>Note:</b> Recognized to conduct tests in accordance with appendix 1 to part 10                                                                                                                    |        |        |        |        |        |        |        |         |         |
| Belgium        | 1 WFRGENT NV<br>(WarringtonfireGent)<br>Ottergemsesteenweg-Zuid,<br>711<br>9000 Gent<br>Belgium                                                                                                                   | +                                                                                                                                                                                                    |        | +      |        | +      |        |        |        |         |         |
|                | 2 Centexbel<br>Technologiepark 7<br>BE-9052 Zwijnaarde<br>Belgium                                                                                                                                                 |                                                                                                                                                                                                      |        |        |        |        | +      | +      | +      |         |         |
| China          | Far East Fire Testing Centre<br>(FEFTC)<br>Post Code 201417<br>511 Chu hua Zhi Lu,<br>Fengxian Sub-Zone,<br>Shanghai Chemical Industry<br>Park, Shanghai<br>China<br>Tel: +86-21-57448350<br>Fax: +86-21-57448352 | +                                                                                                                                                                                                    | +      | +      | +      | +      | +      | +      | +      | +       | +       |
|                |                                                                                                                                                                                                                   | <b>Note:</b> In addition to the testing procedures listed, this centre is recognized to carry out the following test procedures, as amended: resolution A.753(18); appendix 2 and standard ISO 1716. |        |        |        |        |        |        |        |         |         |

| Administration                                                                                                                                                                                                                                                                                | Test laboratories recognized by the Administration                                                                                                                                                                                                                                | International Code for Application of Fire Test Procedures, 2010<br>(resolution MSC.307(88))                                                                                                                                                                                                |        |        |        |        |        |        |        |         |         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|---------|---------|
|                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                   | Part 1                                                                                                                                                                                                                                                                                      | Part 2 | Part 3 | Part 4 | Part 5 | Part 7 | Part 8 | Part 9 | Part 10 | Part 11 |
| <b>Croatia</b>                                                                                                                                                                                                                                                                                | LTM - LABORATORIJ ZA TOPLINSKA MJERENJA<br>d.o.o. Stubička Slatina 26<br>49243 Oroslavlje<br>Croatia<br>Tel: +385 49 274021<br>Fax: +385 49 274004<br>Email: <a href="mailto:ltm@ltm.hr">ltm@ltm.hr</a>                                                                           | +                                                                                                                                                                                                                                                                                           |        | +      | +      | +      |        |        |        |         | +       |
| <b>Denmark</b>                                                                                                                                                                                                                                                                                | DBI – Danish Institute of Fire and Security Technology<br>Jernholmen 12<br>2650 Hvidovre, Copenhagen<br>Denmark<br>Tel: +45 36 34 9000<br>Fax: +45 36 34 9001<br>Email: <a href="mailto:dbi@dbi-net.dk">dbi@dbi-net.dk</a>                                                        | +                                                                                                                                                                                                                                                                                           | +      | +      | +      | +      | +      | +      | +      | +       | +       |
|                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                   | <b>Note:</b> In addition to the test procedures listed, this Institute is recognized to carry out the following test procedures, as amended: resolution A.753(18), MSC/Circ.1165 and standards ISO 1716 and ISO 15371.                                                                      |        |        |        |        |        |        |        |         |         |
| <b>Note:</b> Generally, Denmark also accepts tests carried out by other laboratories, if the laboratory is recognized by the Maritime Authority in the country concerned, and on the condition that the tests are carried out in accordance with test procedures adopted by the Organization. |                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                             |        |        |        |        |        |        |        |         |         |
| <b>Estonia</b>                                                                                                                                                                                                                                                                                | TÜV Eesti OÜ<br>Vana-Narva mnt 24B<br>74114 Maardu,<br>Estonia<br>Tel: +372 607 59 18<br>Fax: +372 637 96 01<br>Email: <a href="mailto:info@tuv-nord.ee">info@tuv-nord.ee</a><br>Website: <a href="https://www.tuv-nord.com/ee/en/home/">https://www.tuv-nord.com/ee/en/home/</a> | +                                                                                                                                                                                                                                                                                           |        | +      |        |        |        | +      | +      | +       |         |
|                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                   | <b>Note:</b> Generally, Estonia also accepts tests carried out by other laboratories if the laboratory is recognized by the Maritime Authority of the country concerned and on the condition that the tests are carried out in accordance with test procedures adopted by the Organization. |        |        |        |        |        |        |        |         |         |

| Administration | Test laboratories recognized by the Administration                                                                                                                      | International Code for Application of Fire Test Procedures, 2010<br>(resolution MSC.307(88))                                                                                                                                                                                                                               |        |        |        |        |        |        |        |         |         |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|---------|---------|
|                |                                                                                                                                                                         | Part 1                                                                                                                                                                                                                                                                                                                     | Part 2 | Part 3 | Part 4 | Part 5 | Part 7 | Part 8 | Part 9 | Part 10 | Part 11 |
| Finland        | VTT Expert Services Ltd Fire Safety<br>P.O. Box 1001<br>FI-02044 VTT<br>Finland<br>Tel: +358 20 722 6688                                                                | +                                                                                                                                                                                                                                                                                                                          |        | +      | +      | +      | +      | +      | +      |         | +       |
|                |                                                                                                                                                                         | <b>Note:</b> In addition to the testing procedures listed, this Institute is recognized to carry out the following test procedures, as amended: resolutions A.753(18), A.800(19), MSC.284(86); MSC/Circ.848, MSC/Circ.1165, MSC.1/Circ.1270, MSC.1/Circ.1387; and standards ISO 1716, EN 3-7:2004, EN 366, EN 367, EN 352. |        |        |        |        |        |        |        |         |         |
| France         | 1 EFECTIS France<br>Voie Romaine<br>F-57280 Maizières les Metz<br>France                                                                                                |                                                                                                                                                                                                                                                                                                                            |        | +      | +      |        |        |        |        |         | +       |
|                | 2 EFECTIS France<br>Lieu-dit La Platière<br>F-38630 Les Avenières<br>France                                                                                             | +                                                                                                                                                                                                                                                                                                                          |        | +      | +      |        |        |        |        |         | +       |
|                | 3 CREPIM<br>Parc de la Porte Nord<br>62700 Bruay-La-Buissière<br>France<br>Tel: +33 (0)3 21 61 64 00<br>Email: <a href="mailto:contact@crepim.fr">contact@crepim.fr</a> | +                                                                                                                                                                                                                                                                                                                          | +      |        |        |        | +      |        |        |         |         |
|                | 4 IFTH (Institut Français du Textile et de l'Habillement)<br>Avenue Guy de Collongue<br>69134 Écully Cedex<br>France                                                    |                                                                                                                                                                                                                                                                                                                            |        |        |        |        |        |        | +      | +       |         |

| Administration               | Test laboratories recognized by the Administration                                                                                                                                                    | International Code for Application of Fire Test Procedures, 2010<br>(resolution MSC.307(88)) |        |        |        |        |        |        |        |         |         |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|---------|---------|
|                              |                                                                                                                                                                                                       | Part 1                                                                                       | Part 2 | Part 3 | Part 4 | Part 5 | Part 7 | Part 8 | Part 9 | Part 10 | Part 11 |
| <b>France</b><br>(continued) | 5 Centre Scientifique et Technique du Bâtiment, 84, Avenue Jean Jaurès, Champs/Marne 774447 Marne La Vallée, France                                                                                   | +                                                                                            |        | +      | +      |        |        |        |        |         |         |
|                              | 6 Laboratoire National d'Essais 29 avenue Roger Hennequin 78197 Trappes – Cedex, France                                                                                                               | +                                                                                            | +      |        |        | +      |        |        |        |         |         |
| <b>Germany</b>               | 1 MPA Dresden GmbH Fuchsmuehlenweg 6F, 09599 Freiberg Germany<br>Tel: +49-3731-2-0393-0<br>Fax: +49-3731-2-0393-110<br>Email: <a href="mailto:info@mpa-dresden.de">info@mpa-dresden.de</a>            | +                                                                                            | +      | +      | +      | +      | +      | +      | +      | +       | +       |
|                              | 2 Exova Warringtonfire – Frankfurt, Industriepark Hoechst 65929 Frankfurt am Main Germany<br>Tel: +49 69 305 3882<br>Fax: +49 69 305 17071<br>Email: <a href="mailto:ebh@exova.com">ebh@exova.com</a> | +                                                                                            | +      |        |        | +      | +      | +      | +      |         |         |
|                              | 3 DMT GmbH & Co KG Tremoniastrasse 13 D-44137 Dortmund Germany<br>Tel: +49 231 53 33 - 240<br>Fax: +49 231 53 33 - 299<br>Email: <a href="mailto:gs@dm.de">gs@dm.de</a>                               | +                                                                                            | +      | +      | +      | +      | +      | +      | +      | +       | +       |

| Administration         | Test laboratories recognized by the Administration                                                                                                                                                                                                                 | International Code for Application of Fire Test Procedures, 2010<br>(resolution MSC.307(88)) |        |        |        |        |        |        |        |         |         |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|---------|---------|
|                        |                                                                                                                                                                                                                                                                    | Part 1                                                                                       | Part 2 | Part 3 | Part 4 | Part 5 | Part 7 | Part 8 | Part 9 | Part 10 | Part 11 |
| Germany<br>(continued) | 4 DMT GmbH & Co KG<br>Hermann-Kemperstr. 12a,<br>D-49762 Lathen<br>Germany                                                                                                                                                                                         |                                                                                              |        | +      |        |        |        |        |        |         |         |
|                        | 5 Entwicklungs- und Prüflabor<br>Holztechnologie GmbH<br>Zellescher Weg 24<br>D – 01217 Dresden<br>Germany<br>Tel: +49-351-4662-362<br>Fax: +49-351-4662-362<br>Email: <a href="mailto:kniest@ihd-dresden.de">kniest@ihd-dresden.de</a>                            | +                                                                                            |        |        |        |        | +      |        |        |         |         |
|                        | 6 Currenta GmbH & Co. OHG<br>Brandtechnologie<br>CUR-ANT-MA<br>CHEMPARK, Geb. B 411<br>D-51368 Leverkusen<br>Germany<br>Tel: +49 214 30 43446<br>Fax: +49 214 30 31135<br>Email:<br><a href="mailto:brandtechnologie@currenta.de">brandtechnologie@currenta.de</a> | +                                                                                            | +      | +      | +      | +      | +      | +      | +      | +       | +       |
|                        | 7 Brandhaus Rhein-Main GmbH<br>& Co. KG<br>Industriepark Griesheim,<br>Haus 3211<br>Stroofstrasse 27<br>D-65933 Frankfurt am Main<br>Germany                                                                                                                       |                                                                                              | +      |        |        |        | +      | +      | +      | +       |         |

| Administration                | Test laboratories recognized by the Administration                                                                                                                                                                                                                            | International Code for Application of Fire Test Procedures, 2010<br>(resolution MSC.307(88)) |        |        |        |        |        |        |        |         |         |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|---------|---------|
|                               |                                                                                                                                                                                                                                                                               | Part 1                                                                                       | Part 2 | Part 3 | Part 4 | Part 5 | Part 7 | Part 8 | Part 9 | Part 10 | Part 11 |
| <b>Germany</b><br>(continued) | 8 Materialprüfungsamt<br>Nordrhein-Westfalen<br>Brandprüfzentrum Erwitte<br>Auf den Thraenen 2<br>59597 Erwitte<br>Germany<br>Tel: +49 2943 897 0<br>Fax: +49 2943 897 33<br>Email: <a href="mailto:geng@mpanrw.de">geng@mpanrw.de</a>                                        |                                                                                              |        | +      |        |        |        |        |        |         |         |
|                               | 9 RST Rail System Testing<br>GmbH<br>Walter-Kleinow-Ring 7<br>16761 Hennigsdorf Germany<br>Tel: +49 3302 49 982 0<br>Fax: +49 3302 49 982 15                                                                                                                                  | +                                                                                            | +      |        |        |        | +      | +      | +      | +       | +       |
| <b>Greece</b>                 | <b>Note:</b> Greece accepts tests carried out by laboratories of other countries, if the laboratory is recognized by the maritime Authority in the country concerned, and provided that tests are carried out in accordance with test procedures adopted by the Organization. |                                                                                              |        |        |        |        |        |        |        |         |         |
| <b>Italy</b>                  | 1 Rina Services S.p.A.<br>Via Calata Gadda<br>Genova<br>Italy<br>Tel: +39 010 5385377<br>Email: <a href="mailto:Laboratory@rina.org">Laboratory@rina.org</a>                                                                                                                  | +                                                                                            | +      | +      | +      | +      | +      | +      | +      | +       | +       |
|                               | 2 Laboratorio Prevenzione<br>Incendi srl. (LAPI)<br>I-59100 Prato, Loc. la Querce<br>Via della Quercia, 11,<br>Italy<br>Tel: +39 0574 575320<br>Email: <a href="mailto:lapi@laboratoriolapi.it">lapi@laboratoriolapi.it</a>                                                   | +                                                                                            | +      | +      | +      | +      | +      | +      | +      | +       | +       |



| Administration                                                                                                                                                                                                                                                                               | Test laboratories recognized by the Administration                                                                                                                                             | International Code for Application of Fire Test Procedures, 2010<br>(resolution MSC.307(88)) |        |        |        |        |        |        |        |         |         |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|---------|---------|
|                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                | Part 1                                                                                       | Part 2 | Part 3 | Part 4 | Part 5 | Part 7 | Part 8 | Part 9 | Part 10 | Part 11 |
|                                                                                                                                                                                                                                                                                              | 3 C.S.I.<br>Viale Lombardia, 20,<br>20021 Bollate MI,<br>Italy<br>Tel: +39 02 3383309<br>Email: <a href="mailto:Info@csi-spa.com">Info@csi-spa.com</a>                                         | +                                                                                            | +      | +      |        | +      | +      | +      | +      |         |         |
| <b>Japan</b>                                                                                                                                                                                                                                                                                 | Research Institute of Marine Engineering (RIME)<br>Fujimicho, Higashimurayama<br>Tokyo 189-0024<br>Japan                                                                                       | +                                                                                            | +      | +      | +      | +      | +      | +      | +      |         |         |
| <b>Note:</b> Fire tests contained in the 2010 FTP Code can be authorized in any test laboratories provided that a surveyor of the Administration witnesses the test.                                                                                                                         |                                                                                                                                                                                                |                                                                                              |        |        |        |        |        |        |        |         |         |
| <b>Netherlands</b>                                                                                                                                                                                                                                                                           | Efectis Nederland B.V.<br>Brandpuntlaan Zuid 16<br>2665 NZ<br>The Netherlands                                                                                                                  |                                                                                              |        | +      |        |        |        |        |        |         |         |
| <b>Note:</b> In general, the Netherlands accepts tests carried out by other laboratories, if the laboratory is recognized by the Maritime Authority in the country concerned and on the condition that tests are carried out in accordance with test procedures adopted by the Organization. |                                                                                                                                                                                                |                                                                                              |        |        |        |        |        |        |        |         |         |
| <b>New Zealand</b>                                                                                                                                                                                                                                                                           | BRANZ Ltd<br>Private Bag 50 908<br>Porirua 5240<br>New Zealand<br>Email: <a href="mailto:branz@branz.co.nz">branz@branz.co.nz</a><br>Web: <a href="http://www.branz.co.nz">www.branz.co.nz</a> |                                                                                              |        | +      |        |        |        |        |        |         |         |

| Administration                                                                                                                                                                                                                                                                                                                                               | Test laboratories recognized by the Administration                                                                                                                                                                                                                                                            | International Code for Application of Fire Test Procedures, 2010<br>(resolution MSC.307(88)) |        |        |        |        |        |        |        |         |         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|---------|---------|
|                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                               | Part 1                                                                                       | Part 2 | Part 3 | Part 4 | Part 5 | Part 7 | Part 8 | Part 9 | Part 10 | Part 11 |
| <b>New Zealand</b><br>(continued)                                                                                                                                                                                                                                                                                                                            | New Zealand Wool Testing Authority Limited<br>PO Box 12065<br>Ahuriri<br>Napier 4144<br>New Zealand<br>Tel: +64 6 835 1086<br>Fax: +64 6 835 6473<br>Email: <a href="mailto:testing@nzwta.co.nz">testing@nzwta.co.nz</a><br>Website: <a href="https://nzwta.co.nz/">https://nzwta.co.nz/</a>                  |                                                                                              |        |        |        |        |        |        | +      |         |         |
| <b>Norway</b>                                                                                                                                                                                                                                                                                                                                                | RISE Fire Research AS<br>POB 4767 Sluppen<br>NO-7465 Trondheim,<br>Norway                                                                                                                                                                                                                                     | +                                                                                            | +      | +      | +      | +      |        | +      | +      | +       | +       |
| <b>Note:</b> The Norwegian Maritime Directorate recognizes institutes accredited by national authorities in the European Community. In addition, other institutes may be accepted when the test is carried out according to a relevant IMO resolution and the institute is recognized by the national Administration or a recognized classification society. |                                                                                                                                                                                                                                                                                                               |                                                                                              |        |        |        |        |        |        |        |         |         |
| <b>Poland</b>                                                                                                                                                                                                                                                                                                                                                | 1 West Pomeranian University of Technology<br>Materials Fire Properties Testing Laboratory<br>41 Al. Piastów<br>71-065 Szczecin<br>Poland<br>Website: <a href="http://www.zut.edu.pl/lbcpm">www.zut.edu.pl/lbcpm</a><br>Email: <a href="mailto:renata.dobrzynska@zut.edu.pl">renata.dobrzynska@zut.edu.pl</a> | +                                                                                            |        |        |        |        | +      | +      | +      | +       |         |

| Administration               | Test laboratories recognized by the Administration                                                                                                                                                                                                                                                                  | International Code for Application of Fire Test Procedures, 2010<br>(resolution MSC.307(88)) |        |        |        |        |        |        |        |         |         |  |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|---------|---------|--|
|                              |                                                                                                                                                                                                                                                                                                                     | Part 1                                                                                       | Part 2 | Part 3 | Part 4 | Part 5 | Part 7 | Part 8 | Part 9 | Part 10 | Part 11 |  |
| <b>Poland</b><br>(continued) | 2 Ship Design and Research Centre S.A.<br>Environmental Laboratories Division<br>Fire Testing Laboratory<br>65 Szczecinska Street<br>80-392 Gdańsk<br>Poland<br>Website:<br><a href="http://www.laboratoria-badawcze.pl">www.laboratoria-badawcze.pl</a><br>Email: <a href="mailto:rs@cto.gda.pl">rs@cto.gda.pl</a> | +                                                                                            | +      | +      |        |        | +      | +      | +      | +       |         |  |
|                              | 3 Polish Register of Shipping S.A.<br>Testing Laboratory<br>126 Al. Gen. Józefa Hallera<br>80-416 Gdansk<br>Poland<br>Tel : +48 58 75 11 189<br>+48 58 75 11 273<br>Fax: +48 58 34 17 769<br>Website: <a href="http://www.prs.pl">http://www.prs.pl</a><br>Email: <a href="mailto:dc@prs.pl">dc@prs.pl</a>          |                                                                                              |        | +      |        |        |        |        |        |         |         |  |
| <b>Republic of Korea</b>     | 1 Fire Insurers Laboratories of Korea (FILK)<br>(Headquarters and Laboratory)<br>1030, Gyeongchung-daero,<br>Ganam-eup, Yeosu-si,<br>Gyeonggi-do,<br>Republic of Korea                                                                                                                                              | +                                                                                            | +      | +      | +      | +      |        |        |        |         |         |  |

| Administration                   | Test laboratories recognized by the Administration                                                                                                                                                                                                                                                             | International Code for Application of Fire Test Procedures, 2010<br>(resolution MSC.307(88)) |        |        |        |        |        |        |        |         |         |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|---------|---------|
|                                  |                                                                                                                                                                                                                                                                                                                | Part 1                                                                                       | Part 2 | Part 3 | Part 4 | Part 5 | Part 7 | Part 8 | Part 9 | Part 10 | Part 11 |
| Republic of Korea<br>(continued) | 2 Korea Institute of Civil Engineering and Building Technology (KICT)<br>(Headquarters)<br>283, Goyangdae-ro, Ilsanseo-gu, Goyang-si, Gyonggi-do, Republic of Korea<br>64, Mado-ro, 182beon-gil, Mado-myeon, Hwaseong-si, Gyeonggi-do, Republic of Korea                                                       | +                                                                                            | +      | +      |        | +      |        |        |        |         |         |
|                                  | 3 Korea Marine Equipment Research Institute (KOMERI)<br>(Headquarters)<br>435, Haeyang-ro, Yeongdo-gu, Busan 606-806, Republic of Korea<br>(Laboratory)<br>24-20, Noksan National Industrial Complex St.335, Gangseo-gu, Busan, Republic of Korea<br>35, Mieumsandan 5-ro, Gangseo-gu, Busan Republic of Korea | +                                                                                            | +      | +      | +      | +      |        |        |        |         |         |

| Administration                          | Test laboratories recognized by the Administration                                                                                                                                                                                                                                             | International Code for Application of Fire Test Procedures, 2010<br>(resolution MSC.307(88)) |        |        |        |        |        |        |        |         |         |   |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|---------|---------|---|
|                                         |                                                                                                                                                                                                                                                                                                | Part 1                                                                                       | Part 2 | Part 3 | Part 4 | Part 5 | Part 7 | Part 8 | Part 9 | Part 10 | Part 11 |   |
| <b>Republic of Korea</b><br>(continued) | 4 FITI Testing & Research Institute<br>(Headquarters)<br>892-64 Jegi-dong,<br>Dongdaemun-gu, Seoul,<br>Republic of Korea<br>(Laboratory)<br>892-64 Jegi-dong,<br>Dongdaemun-gu, Seoul, Korea<br>686-1, Yangcheong-li,<br>Ochang-eup, Cheongwon-gun,<br>Chungcheongbuk-do,<br>Republic of Korea |                                                                                              | +      |        |        |        |        | +      | +      | +       |         |   |
| <b>Russian Federation</b>               | 1 Russian Federal State Institute for Fire Protection (VNIPO)<br>143903 Balashikha,<br>Moscow region,<br>Russian Federation<br>Tel: +7 495 521 8131                                                                                                                                            | +                                                                                            |        | +      |        |        |        | +      | +      | +       |         |   |
|                                         | 2 Test Center «NWRC TEST»<br>196650 Saint Petersburg,<br>Russian Federation<br>Tel: +7 812 309 50 72                                                                                                                                                                                           | +                                                                                            |        | +      |        | +      | +      | +      | +      |         |         |   |
|                                         | 3 Fire Testing Laboratory «SibTest»<br>660074 Krasnoyarsk,<br>Russian Federation<br>Tel: +7 391 218 19 10                                                                                                                                                                                      | +                                                                                            |        | +      | +      |        |        |        | +      | +       |         | + |

| Administration                    | Test laboratories recognized by the Administration                                                                                                                                                                                                                     | International Code for Application of Fire Test Procedures, 2010<br>(resolution MSC.307(88))                     |        |        |        |        |        |        |        |         |         |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|---------|---------|
|                                   |                                                                                                                                                                                                                                                                        | Part 1                                                                                                           | Part 2 | Part 3 | Part 4 | Part 5 | Part 7 | Part 8 | Part 9 | Part 10 | Part 11 |
| Russian Federation<br>(continued) | 4 DBI - Danish Institute of Fire and Security Technology<br>Jernholmen 12<br>2650 Hvidovre,<br>Copenhagen<br>Denmark<br>Tel: +45 36 34 9000<br>Fax: +45 36 34 9001<br>Email: <a href="mailto:dbi@dbi-net.dk">dbi@dbi-net.dk</a>                                        | +                                                                                                                | +      | +      |        | +      | +      | +      | +      | +       | +       |
|                                   | 5 VTT Expert Services Ltd Fire Safety<br>P.O. Box 1001<br>FI-02044 VTT<br>Finland<br>Tel: +358 20 722 6688                                                                                                                                                             | +                                                                                                                |        | +      | +      | +      | +      | +      | +      |         | +       |
| Slovenia                          | Zavod za gradbeništvo Slovenije<br>Slovenian National Building And civil engineering institute<br>Dimičeva ulica 12<br>1000 Ljubljana<br>Slovenia<br>Email: <a href="mailto:info@zag.si">info@zag.si</a><br>Website: <a href="http://www.zag.si">http://www.zag.si</a> | +                                                                                                                | +      | +      |        |        |        | +      | +      | +       |         |
| Spain                             | 1 LGAI Technological Center S.A.<br>Campus UAB,<br>Ronda de la Font del Carne,<br>s/n<br>08193 Bellaterra – Barcelona<br>Spain                                                                                                                                         | +                                                                                                                |        | +      | +      | +      |        | +      | +      | +       |         |
|                                   |                                                                                                                                                                                                                                                                        | <b>Note:</b> LGAI Technological Center S.A. is also recognized to carry out tests as per standard ISO 1182-2011. |        |        |        |        |        |        |        |         |         |

| Administration       | Test laboratories recognized by the Administration                                                                                                                                                                      | International Code for Application of Fire Test Procedures, 2010<br>(resolution MSC.307(88))                                                                                                                                                                                                                                          |        |        |        |        |        |        |        |         |         |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|---------|---------|
|                      |                                                                                                                                                                                                                         | Part 1                                                                                                                                                                                                                                                                                                                                | Part 2 | Part 3 | Part 4 | Part 5 | Part 7 | Part 8 | Part 9 | Part 10 | Part 11 |
| Spain<br>(continued) | 2 Asociación de Investigación de la Industria Textil, AITEX<br>Plaza Emilio Sala, 1<br>03801 Alcoy – Alicante<br>Spain                                                                                                  | +                                                                                                                                                                                                                                                                                                                                     | +      |        |        | +      | +      | +      | +      |         |         |
|                      |                                                                                                                                                                                                                         | <b>Note:</b> Asociación de Investigación de la Industria Textil, AITEX is also recognized to carry out tests as per standard ISO 1182-2011.                                                                                                                                                                                           |        |        |        |        |        |        |        |         |         |
|                      | 3 Fundación Tecnalia Research & Innovation<br>Área Anardi, 5<br>20730 Azpeitia – Guipúzcoa<br>Spain                                                                                                                     | +                                                                                                                                                                                                                                                                                                                                     | +      | +      |        | +      |        |        |        |         |         |
|                      |                                                                                                                                                                                                                         | <b>Note:</b> Fundación Tecnalia Research & Innovation is also recognized to carry out tests as per standard ISO 5660-1.                                                                                                                                                                                                               |        |        |        |        |        |        |        |         |         |
|                      | 4 Asociación para el Fomento de la Investigación y de la Tecnología y la Seguridad contra incendios (AFITI).<br>Camino del Estrechillo, 8<br>28500 Arganda del Rey – Madrid<br>Spain                                    | +                                                                                                                                                                                                                                                                                                                                     |        | +      | +      | +      |        | +      | +      |         | +       |
|                      |                                                                                                                                                                                                                         | <b>Note:</b> Asociación para el Fomento de la Investigación y de la Tecnología y la Seguridad contra incendios (AFITI) is also recognized to carry out tests as per standard ISO 1182-2011.                                                                                                                                           |        |        |        |        |        |        |        |         |         |
|                      |                                                                                                                                                                                                                         | <b>Note:</b> Generally, Spain also accepts tests carried out by other laboratories if the laboratory is recognized by the Maritime Authority of the country concerned and on the condition that the tests are carried out in accordance with test procedures adopted by the Organization.                                             |        |        |        |        |        |        |        |         |         |
| Sweden               | SP Technical Research Institute of Sweden,<br>Box 857,<br>SE-501 15 Borås,<br>Sweden<br>Tel: +46 10 516 50 00<br>Email: <a href="mailto:info@sp.se">info@sp.se</a><br>Website: <a href="http://www.sp.se">www.sp.se</a> | +                                                                                                                                                                                                                                                                                                                                     | +      | +      | +      | +      | +      | +      | +      | +       | +       |
|                      |                                                                                                                                                                                                                         | <b>Note:</b> In addition to the test procedures mentioned, this Institute is also recognized to carry out the following test procedures: resolutions MSC.41(64), A.753(18) and A.800(19); MSC/Circ.670, MSC/Circ.798, MSC/Circ.848, MSC/Circ.913, MSC/Circ.1165, MSC.1/Circ.1312 (incl. Corr.1); and standards ISO 5660 and ISO 1716. |        |        |        |        |        |        |        |         |         |

| Administration                                                                                                                                                                                                                                                                                | Test laboratories recognized by the Administration                                                                                                                                                                                                                                                                                                                                                                                       | International Code for Application of Fire Test Procedures, 2010<br>(resolution MSC.307(88)) |        |        |        |        |        |        |        |         |         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|---------|---------|
|                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                          | Part 1                                                                                       | Part 2 | Part 3 | Part 4 | Part 5 | Part 7 | Part 8 | Part 9 | Part 10 | Part 11 |
| Turkey                                                                                                                                                                                                                                                                                        | 1 Efectis Era Avrasya Test ve Belgelendirme AŞ,<br>TOSB TAYSAD Organize Sanayi Bölgesi 15. Yol No:1 Şekerpinari-Çayırova/Kocaeli, Turkey<br>Tel: +90 262 658 16 62<br>Email: <a href="mailto:turkey@efectis.com">turkey@efectis.com</a>                                                                                                                                                                                                  | +                                                                                            |        | +      |        |        |        |        |        |         |         |
|                                                                                                                                                                                                                                                                                               | <b>Note:</b> *Except the ventilation duct and fire dampers tests.                                                                                                                                                                                                                                                                                                                                                                        |                                                                                              |        |        |        |        |        |        |        |         |         |
|                                                                                                                                                                                                                                                                                               | 2 Türk Standartları Enstitüsü – Deney ve Kalibrasyon Merkezi Başkanlığı – Yapı Malzemeleri Yangın ve Akustik Deney Laboratuvar Müdürlüğü<br>Aydınlı Mah. Ulus Sokak No:7 Tuzla İSTANBUL TURKEY<br>Tel: +90 216 5600539<br>Email: <a href="mailto:int-dkmb@tse.org.tr">int-dkmb@tse.org.tr</a> /<br><a href="mailto:international@tse.org.tr">international@tse.org.tr</a><br>Website: <a href="http://www.tse.org.tr">www.tse.org.tr</a> | +                                                                                            | +      | +      |        |        | +      |        |        |         | +       |
| <b>Note:</b> In general, Turkey also accepts tests carried out by the other laboratories, if the laboratory is recognized by the Maritime Authority in the country concerned and on the condition that tests are carried out in accordance with tests procedures adopted by the Organization. |                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                              |        |        |        |        |        |        |        |         |         |
| United Kingdom                                                                                                                                                                                                                                                                                | 1 BRE Global Limited,<br>Bucknalls Lane, Garston<br>WD25 9XX<br>United Kingdom                                                                                                                                                                                                                                                                                                                                                           | +                                                                                            | +      | +      |        |        | +      |        |        |         | +       |



| Administration                       | Test laboratories recognized by the Administration                                                                                                                                                                                                                                                    | International Code for Application of Fire Test Procedures, 2010<br>(resolution MSC.307(88)) |        |        |        |        |        |        |        |         |         |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|---------|---------|
|                                      |                                                                                                                                                                                                                                                                                                       | Part 1                                                                                       | Part 2 | Part 3 | Part 4 | Part 5 | Part 7 | Part 8 | Part 9 | Part 10 | Part 11 |
| <b>United Kingdom</b><br>(continued) | 2 Exova Warrington Fire,<br>Holmesfield Road<br>Warrington, WA1 2DS<br>United Kingdom                                                                                                                                                                                                                 | +                                                                                            | +      | +      |        | +      | +      | +      | +      | +       | +       |
|                                      | 3 British Textile Technology<br>Group (BTTG)<br>Wira House West Park Ring<br>Rd.<br>Leeds, LS16 6QL<br>United Kingdom                                                                                                                                                                                 |                                                                                              |        |        |        | +      | +      | +      | +      |         |         |
|                                      | 4 Interscience Fire Laboratory<br>Building 63<br>Haslar Marine Technology<br>Park<br>Haslar Road, Gosport<br>Hampshire PO12 2AG<br>United Kingdom<br>Tel: +44 (0) 2086925050<br>Fax: +44 (0) 2086925155<br>Website:<br><a href="http://www.intercomm.dial.pipex.com">www.intercomm.dial.pipex.com</a> |                                                                                              | +      |        |        | +      |        | +      | +      | +       |         |
|                                      | 5 West Yorkshire Materials<br>Testing Service<br>PO Box 5<br>Nepshaw Lane South, Morley,<br>Leeds, LS27 0QP<br>United Kingdom                                                                                                                                                                         |                                                                                              |        |        |        |        |        | +      | +      | +       |         |

| Administration                | Test laboratories recognized by the Administration                                                                                                                                                                                                                                                                                                                              | International Code for Application of Fire Test Procedures, 2010<br>(resolution MSC.307(88)) |        |        |        |        |        |        |        |         |         |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|---------|---------|
|                               |                                                                                                                                                                                                                                                                                                                                                                                 | Part 1                                                                                       | Part 2 | Part 3 | Part 4 | Part 5 | Part 7 | Part 8 | Part 9 | Part 10 | Part 11 |
| United Kingdom<br>(continued) | 6 Thomas Bell-Wright<br>International Consultants<br>PO Box 26385<br>No 81 25b St<br>Community 613<br>Al Aweer Industrial Area<br>Dubai<br>United Arab Emirates                                                                                                                                                                                                                 |                                                                                              |        | +      |        |        |        |        |        |         |         |
|                               | <b>Note:</b> The United Kingdom also recognizes laboratories accredited by national Authorities in the European Community. In addition, other institutes may be accepted when the test is carried out according to the relevant part of the 2010 FTP Code and the institute is recognized by the national Administration or a United Kingdom recognized classification society. |                                                                                              |        |        |        |        |        |        |        |         |         |

**LEGEND:**

- 1 Entries in the vertical columns related to the *International Code for Application of Fire Test Procedures, 2010 (2010 FTP Code)*, adopted by resolution MSC.307(88), stand for the following:

|                 |                                                                                                                                                                                                          |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Part 1:</b>  | <b><i>Non-combustibility test</i></b> to be carried out in accordance with part 1 of annex 1 to the Code and conforming to the standard ISO 1182; see also paragraph 2 of part 1 of annex 1 to the Code. |
| <b>Part 2:</b>  | <b><i>Smoke and toxicity test</i></b> in accordance with part 2 of annex 1 to the Code. Smoke generation test to be conducted in accordance with the standard ISO 5659-2.                                |
| <b>Part 3:</b>  | <b><i>Test for "A", "B" and "F" class divisions</i></b> in accordance with part 3 of annex 1 to the Code.                                                                                                |
| <b>Part 4:</b>  | <b><i>Test for fire door control systems</i></b> in accordance with part 4 of annex 1 to the Code.                                                                                                       |
| <b>Part 5:</b>  | <b><i>Test for surface flammability (test for surface materials and primary deck coverings)</i></b> in accordance with part 5 of annex 1 to the Code.                                                    |
| <b>Part 6:</b>  | <b>Blank</b> – Part 6 of the FTP Code, adopted by resolution MSC.61(67), has been incorporated into part 5 of annex 1 to the Code.                                                                       |
| <b>Part 7:</b>  | <b><i>Test for vertically supported textiles and films</i></b> in accordance with part 7 of annex 1 to the Code.                                                                                         |
| <b>Part 8:</b>  | <b><i>Test for upholstered furniture</i></b> in accordance with part 8 of annex 1 to the Code.                                                                                                           |
| <b>Part 9:</b>  | <b><i>Test for bedding components</i></b> in accordance with part 9 of annex 1 to the Code.                                                                                                              |
| <b>Part 10:</b> | <b><i>Test for fire-restricting materials for high-speed craft</i></b> in accordance with part 10 of annex 1 to the Code.                                                                                |
| <b>Part 11:</b> | <b><i>Test for fire-resisting divisions of high-speed craft</i></b> in accordance with part 11 of annex 1 to the Code.                                                                                   |